POPULATION ESTIMATES	S	LONG-TERM CARE		LOCAL HEALTH DEPARTI	
Total 2003 Population Population per square mile	69	Community Options and MA Was HSRS reports costs for	sarvi cas	Staffing - FTE Number Total staff 15.1 Administrative 1.0	Per 10, 000 Popul ati on 2. 6
Age Female Male 0-14 5,640 5,890 15-19 1,960 2,160 20-24 1,610 1,720	Total 11, 520 4, 130 3, 330	Clients COP 14 MA Waiver * CIP1A 9 CIP1B 144 CIP2 100	\$151, 514 \$726, 026 \$3, 422, 735 \$1, 263, 037	Total staff 15.1 Administrative 1.0 Public health nurses 5.0 Other prof. staff 3.4 Technical/Paraprof. 0.8 Support staff 4.9	0. 2 0. 9 0. 6 0. 1 0. 9
25-29 1, 620 1, 630 30-34 1, 850 1, 880 35-39 2, 090 2, 110 40-44 2, 380 2, 390	3, 250 3, 740 4, 200 4, 780	CIP1A 9 CIP1B 144 CIP2 100 COP-W 146 CSLA 13 Brain Injury 6 Total COP/Wvrs 432	\$1, 014, 969 \$65, 954 \$518, 380 \$7, 011, 101	Fundi ng Total \$1, 709, 579 Local Taxes \$950, 687	Per capi ta \$29.70 \$16.52
45-54 4, 250 4, 370 55-64 2, 950 2, 850	8, 620 5, 790	\$259,774 of the above w		LI CENSED ESTABLI SHM	ENTS
65-74 2, 080 1, 830 75-84 1, 740 1, 220 85+ 910 400 Total 29, 090 28, 440	3, 710 3, 910 2, 960 1, 310 57, 530	were paid as local match/ using COP funds. This am not included in above COF	overmatch ount is costs.	Type Capacity Bed & Breakfast 115 Camps 4,706 Hotels, Motels 8,625 Tourist Rooming 128 Pools	Facilities 31 34 146
Age Female Male 0-17 6,850 7,210 18-44 10,300 10,570 45-64 7,200 7,220	Total 14, 050 20, 900 14, 410	* Waiver costs reported hinclude federal funding. Clients	Costs	Tourist Rooming 128 Pools Restaurants Vending	79 208 416 8
45-64 7, 200 7, 220 65+ 4, 730 3, 450 Total 29, 090 28, 440	8, 180 57, 530	Eligible and Waiting 105 (Family Care not provided		WIC PARTICIPANTS	
Poverty Estimates for 2000	0 1 ()	(railing care not provided	The Country)	WIC TAKTICITANTS	
Estimate ((All ages 3,988 7.2% Ages 0-17 1,315 9.2%	C. I . +/-) 205 (5%) 104 (8%)	Note: Eligible and waiting will be phased into the Waivers as available.	clients COP and MA	Pregnant/Postpartum Infants Children, age 1-4 Total	Number 612 618 777 2,007
Average wage for jobs covered by unemployment compensation (place of work)		Home Health Agencies Patients Patients per 10,000 pop.	201	CANCER INCIDENCE (20 Primary Site Breast Cervical Colorectal	50 3 38
Labor Force Estimates Civilian Labor Force Number employed	Average	Nursing Homes Licensed beds Occupancy rate Residents on Dec. 31 Residents age 65 or older	6 467 88. 0% 427	Lung and Bronchus Prostate Other sites Total	34 56 124 305
Civilian Labor Force Number employed Number unemployed Unemployment rate	1, 647 4. 7%	Residents age 65 or older per 1,000 population	50	Note: Totals shown are for invasive cancers only.	

			NATA	41 I TY				
TOTAL LIVE BIRTHS		730	Birth Order First		Percent 41	Marital Status of Mother	Bi rths	Percent
Crude Live Birth Rate	2	12. 7	Second	0-4	- 4	Marri ed	512	70
General Fertility Rat		63. 4	Thi rd	120	34 16 9 0	Not married		30
Johnston For Erritty Have		00	Fourth or higher	63	9	Unknown	- 1	<. 5
Live births with repo	orted		Unknown	0	Ô		•	
congenital anomalies	1	3 1.8%				Educati on		
						of Mother	Bi rths	Percent
Delivery Type	Bi rths	Percent	1st Prenatal Visit		Percent	Elementary or le	ess 34	5
Vagi nal after		_	1st trimester	622	85	Some high school	92	13
_previ ous cesarean	21		2nd trimester	85	12	High school	253	35
Forceps	10	1	2nd trimester 3rd trimester No visits Unknown	16	2	High school Some college College graduate Unknown	171	23
Other vaginal Primary cesarean	519	71 16	No visits	5	1	College graduate	9 1//	24
Primary cesarean	64	9	UNKNOWN	2	<. 5	UNKNOWN	3	<. 5
Repeat cesarean	04	9	Prenatal Visits	Di rthe	Percent	Smoking Status		
Bi rthwei ght	Ri rths	Percent	No visits	5	1	of Mother	Bi rths	Percent
Birthweight	7	1 0	1-4	20	3	Smoker	147	20
1 500-2 499 gm	34	4 7	5-9	155	21	Nonsmoker	580	79
2, 500+ gm	688	94. 2	10-12	306	42	Unknown	3	<. 5
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	1	<. 5	13+	244	33			
			Unknown	0	0			
			Low Birthweight		Irimest	er of First Prenata	al Visit	
			(1 - 1 T.		0. 0. 1.1.0t 1.101.atc	0+6	/I lead on account
Daca /Ethni ci ty	Dirthe D	lorcont	(under 2 500 am)	1st Tr	imester	2nd Trimester	Other/	'Unknown
Race/Ethni ci ty	447	01	(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	447	01	(under 2,500 gm) Births Percent 36 5.4	Bi rths 577	imester	2nd Trimester	Other/	'Unknown Percent 3
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	447	01	(under 2,500 gm) Births Percent	Bi rths 577 *	imester Percent 87	2nd Trimester Births Percent 70 10	Other/ Bi rths 20 *	Percent 3
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	447	01	(under 2,500 gm) Births Percent 36 5.4	Bi rths 577 * 12	imester Percent 87 86	2nd Trimester Births Percent 70 10 * 1 7	Other/ Bi rths 20 * 1	Percent 3 7
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	447	01	(under 2,500 gm) Births Percent 36 5.4 *	Bi rths 577 * 12 27	imester Percent 87 86 66	2nd Trimester Births Percent 70 10 * 1 7 13 32	Other/ Bi rths 20 *	Percent 3 7 2
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	447	01	(under 2,500 gm) Births Percent 36 5.4	Bi rths 577 * 12	imester Percent 87 86 66	2nd Trimester Births Percent 70 10 * 1 7	Other/ Bi rths 20 * 1	Percent 3 7
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Bi rths P 667 2 14 41 0 6	01	(under 2,500 gm) Births Percent 36 5.4 * 3 7.3 2 33.3	Bi rths 577 * 12 27	imester Percent 87 86 66 83	2nd Trimester Births Percent 70 10 * 1 7 13 32	0ther/ Bi rths 20 * 1 1	Percent 3 7 2
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	667 2 14 41 0 6	91 <. 5 2 6 0 1	(under 2,500 gm) Births Percent 36 5.4 * 3 7.3 2 33.3	Bi rths 577 * 12 27	imester Percent 87 86 66 83	2nd Trimester Births Percent 70 10 * 1 7 13 32	0ther/ Bi rths 20 * 1 1	Percent 3 7 2 17
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	667 2 14 41 0 6 	91 <.5 2 6 0 1 	(under 2,500 gm) Births Percent 36 5.4 *	Bi rths 577 * 12 27 5 	i mester Percent 87 . 86 . 66 . 83 Tri mest i mester	2nd Trimester Births Percent 70 10 * 1 7 13 32	0ther/ Bi rths 20 * 1 al Vi si t Other/	Percent 3 7 2 17
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	667 2 14 41 0 6	91 <. 5 2 6 0 1	(under 2,500 gm) Births Percent 36 5.4 * 3 7.3 2 33.3	Bi rths 577 * 12 27 5 	imester Percent 87 86 66 83	2nd Trimester Births Percent 70 10 * 1 7 13 32	0ther/ Bi rths 20 * 1 al Vi si t Other/	Percent 3 7 2 17
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17	667 2 14 41 0 6 Fe Bi rths 0 11	91 <.5 2 6 0 1 	(under 2,500 gm) Births Percent 36 5.4 * 3 7.3 2 33.3 Low Birthweight (under 2,500 gm) Births Percent	Bi rths 577 * 12 27 5 1st Tr Bi rths 8	i mester Percent 87 . 86 .66 . 83 Tri mest i mester Percent .	2nd Trimester Births Percent 70 10 * 1 7 13 32	Other/ Bi rths 20 * 1 1 al Vi si t Other/ Bi rths	Percent 3 . 7 2 . 17
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19	667 2 14 41 0 6 Fe Bi rths 0 11 45	91 <.5 2 6 0 1 	(under 2,500 gm) Births Percent 36 5.4 * 3 7.3 2 33.3 Low Birthweight (under 2,500 gm) Births Percent 3 6.7	Bi rths 577 * 12 27 5 1st Tr Bi rths 8 34	i mester Percent 87	2nd Trimester Births Percent 70 10 * 1 7 13 32	Other/ Bi rths 20 * 1 1 al Vi si t Other/ Bi rths	Percent 3 . 7 2 . 17
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24	667 2 14 41 0 6 Fe Bi rths 0 11 45 231	91 <.5 2 6 0 1 	(under 2,500 gm) Births Percent 36 5.4 * 3 7.3 2 33.3 Low Birthweight (under 2,500 gm) Births Percent 3 6.7 11 4.8	Bi rths 577 * 12 27 5 1st Tr Bi rths	i mester Percent 87 . 86 .66 . 83 Tri mest i mester Percent	2nd Trimester Births Percent 70 10 * 1 7 13 32	Other/ Bi rths 20 * 1 1 al Vi si t Other/ Bi rths	Percent 3 . 7 2 . 17
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	667 2 14 41 0 6 Fe Bi rths 0 11 45 231 198	91 <.5 2 6 0 1 	(under 2,500 gm) Births Percent 36 5.4 * 3 7.3 2 33.3 Low Birthweight (under 2,500 gm) Births Percent 3 6.7 11 4.8 11 5.6	Bi rths 577 * 12 27 5 1st Tr Bi rths 8 34 186 175	i mester Percent 87 . 86 .66 . 83 Tri mest i mester Percent	2nd Trimester Births Percent 70 10 * 1 7 13 32	Other/ Bi rths 20 * 1 1 al Vi si t Other/ Bi rths	Percent 3 . 7 2 . 17
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	667 2 14 41 0 6 Fe Bi rths 0 11 45 231 198 155	91 <.5 2 6 0 1 	(under 2,500 gm) Births Percent 36 5.4 * 3 7.3 2 33.3 Low Birthweight (under 2,500 gm) Births Percent 3 6.7 11 4.8 11 5.6 8 5.2	Bi rths 577 * 12 27 5 1st Tr Bi rths	i mester Percent 87 . 86 .66 . 83 Tri mest i mester Percent	2nd Trimester Births Percent 70 10 * 1 7 13 32	Other/ Bi rths 20 * 1 1 al Vi si t Other/ Bi rths	Percent 3 . 7 2 . 17
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	667 2 14 41 0 6 Fe Bi rths 0 11 45 231 198 155 71	91 <.5 2 6 0 1 	(under 2,500 gm) Births Percent 36 5.4 * 3 7.3 2 33.3 Low Birthweight (under 2,500 gm) Births Percent 3 6.7 11 4.8 11 5.6 8 5.2 5 7.0	Bi rths 577 * 12 27 5 1st Tr Bi rths	i mester Percent 87 . 86 .66 . 83 Tri mest i mester Percent	2nd Trimester Births Percent 70 10 * 1 7 13 32	Other/ Bi rths 20 * 1 1 al Vi si t Other/ Bi rths	Percent 3 . 7 2 . 17
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	667 2 14 41 0 6 Fe Bi rths 0 11 45 231 198 155 71 18	91 <.5 2 6 0 1 	(under 2,500 gm) Births Percent 36 5.4 * 3 7.3 2 33.3 Low Birthweight (under 2,500 gm) Births Percent 3 6.7 11 4.8 11 5.6 8 5.2	Bi rths 577 * 12 27 5 	i mester Percent 87 . 86 .66 . 83 Tri mest i mester Percent	2nd Trimester Births Percent 70 10 * 1 7 13 32	Other/ Bi rths 20 * 1 1	Percent 3 . 7 2 . 17
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	667 2 14 41 0 6 Fe Bi rths 0 11 45 231 198 155 71	91 <.5 2 6 0 1 	(under 2,500 gm) Births Percent 36 5.4 * 3 7.3 2 33.3 Low Birthweight (under 2,500 gm) Births Percent 3 6.7 11 4.8 11 5.6 8 5.2 5 7.0	Bi rths 577 * 12 27 5 1st Tr Bi rths	i mester Percent 87 . 86 .66 . 83 Tri mest i mester Percent	2nd Trimester Births Percent 70 10 * 1 7 13 32	Other/ Bi rths 20 * 1 1 al Vi si t Other/ Bi rths	Percent 3 . 7 2 . 17

MORBI DI TY			MO	RTALLTY	
REPORTED CASES OF SELECTED DISEASES*	Note: Death rates (e neonatal, and Perinatal and	xcept in postneon fetal de	nfant) are natal death eath rates	per 100,000 population. rates are per 1,000 liv are per 1,000 live birth culated for fewer than 2	Infant, e births. s plus
Di sease Campyl obacter Enteritis Gi ardi asis Hepatitis Type A Hepatitis Type B** Hepatitis NANB/C Legi onnaire's Lyme Shein ngitis, Aseptic Meningitis, Bacterial Mumps Pertussis Sal monel losis Shi gel losis	TOTAL DEATHS Crude Death Rate Age 1-4 5-14 15-19 20-34 35-54 55-64 65-74 75-84 85+	e Deaths 1 . 2 8 46 49 89 138 173	507 881 Rate	Selected Underlying Cause Heart Disease (total) Ischemic heart diseas Cancer (total) Trachea/Bronchus/Lung Colorectal Female Breast Cerebrovascular Diseas Lower Resp. Disease Pneumonia & Influenza Accidents Motor vehicle Diabetes Infect./Parasitic Dis.	e 100 174 128 222 24 42 14 . 10 .* e 42 73 19 . 22 38 25 43 8 .
* 2003 provisional data. ** Includes all positive HBsAg test results.	Infant Mortality Total Infant Neonatal Postneonatal Unknown	1		* Based on female popu ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAU	o . I ati on. AS UNDERLYING
Sexually Transmitted Disease Chlamydia Trachomatis 95 Genital Herpes 24 Gonorrhea 15 Syphilis 0	Race of Mother White Black Hispanic Laotian/Hmong Other/Unknown	1	: :	Al cohol Other Drugs Both Mentioned * Includes tobacco use MOTOR VEHICL Note: These data are b	(see page 7). E CRASHES
Children in Grades K-12 by Compliance Level Compliant 10,816 Non-compliant 77 Percent Compliant 99.3	Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown Perinatal Mortality Total Perinatal Neonatal Fetal	Deaths 4	Rate	of crash, not of crash, not of crash, not of crash, not of the control of crash of the control of crash of the control of crashes o	n residence. Persons Persons Injured Killed 909 5 106 0

		Per .	Average		Charge			Per	Average		Charge
DI SEASE /	•	1, 000	Staÿ	Average		DI SEASE /		1,000	Staÿ	Average	
AGE GROUP Nun	mber	Pop	(Days)	Charge	Capi ta	AGE GROUP	Number	Pop	(Days)	Charge	Capi ta
Injury-Related: All						Al cohol -Rel ated					
Total	646	11. 2	4. 8	\$17, 805	\$200	Total	136	2. 4	4. 7	\$6, 240	\$15
<18	57	4. 1	3. 3	\$13, 498	\$55	18-44	82	3. 9	4. 5	\$4, 859	\$19
18-44	201	9. 6	4. 5	\$19, 753	\$190	45-64	49	3.4	4. 8	\$8, 359	\$28
45-64	144	10.0	4. 6	\$16,672	\$167	Pneumonia and I	nfl uenza				
65+	244	29.8	5. 6	\$17, 875	\$534	Total	276	4.8	4. 3	\$10, 306	\$49
Injury: Hip Fract				. ,		<18	30	2. 1	2. 4	\$5, 709	\$12
Total	59	1. 0	5. 7	\$19, 618	\$20	45-64	40	2.8	4. 0	\$9, 821	\$27
65+	55	6. 7	5. 7	\$19, 487	\$131	65+	176	21. 5	4. 8	\$11, 392	\$245
Injury: Poi soni ng	าร	4.77.07	Ţ.G.	Cerebrovascul ar			0	+ , 0 / =	72.0
Total	65	1. 1	2. 1	\$6, 874	\$8	Total	188	3. 3	4. 1	\$14, 906	\$49
18-44	37	1. 8	2. 0	\$6, 956	\$12	45-64	46	3. 2	5. 2	\$20, 962	\$67
10 11	0,	0	2. 0	Ψ0, 700	Ψ12	65+	138	16. 9	3. 7	\$12,080	\$204
Psychi atri c						Chronic Obstruc	rtiv⊝ Pulm	onary D	i sease	Ψ12,000	Ψ20-1
Total	309	5. 4	8. 2	\$8, 135	\$44	Total	142	2.5	3. 9	\$9, 632	\$24
<18	36	2. 6	14. 0	\$13, 258	\$34	<18	11	2. 5		-	· ·
	156	7. 5	5. 6	\$5, 628	\$42	18-44	15		•	•	•
45-64	48	3. 3	8. 1	\$3, 020 \$7, 367	\$25	45-64	24	1. 7	3. 5	\$9, 307	\$15
45-04 65+	69	3. 3 8. 4	11. 0	\$1, 367 \$11, 666	\$25 \$98	65+	92	11. 3	4. 3	\$10, 719	\$13 \$121
05+	09	0. 4	11.0	Φ11, 000	Φ70	Drug-Rel ated	92	11.3	4. 3	\$10, 719	⊅ΙΖΙ
Coronary Hoart Dice	2000					Total	55	1. 0	3. 8	¢2 01E	\$4
Coronary Heart Dise Total	418	7. 3	2.0	\$25, 675	\$187	18-44	38	1.0	3. o 3. 5	\$3, 815 \$2, 895	\$4 \$5
			3.9	\$20,070		10-44	36	1.0	3. 5	\$2, 895	фЭ
	135	9. 4	3.4	\$26, 083	\$244	Takal Haanikali					
65+	268	32. 8	4. 1	\$25, 512	\$836	Total Hospitali	zations	100 4	2.0	ф11 Г 10	¢1 401
Malifornia de Nicola de Cons		>				Total '	7, 384	128.4	3. 9	\$11, 540	\$1, 481
Ma <u>l</u> ignant Neoplasms		cers):	ALL	447 740	407	<18	1, 039	74. 0	3. 2	\$5, 759	\$426
	296	5. 1	5. 3	\$16, 740	\$86	18-44 45-64	2, 058	98. 5	3. 2	\$8, 797	\$867
	32	1.5	4. 5	\$18, 044	\$28	45-64	1, 488	103. 2	4. 1	\$14, 392	\$1, 485
	109	7. 6	4. 1	\$13, 660	\$103	65+	2, 799	342. 4	4. 7	\$14, 186	\$4,857
65+	150	18. 3	5.9	\$16, 887	\$310						
Neoplasms: Female	e Breas	st (ra	tes for	female po	pul ati on)	PR	REVENTABLE	HOSPLI	ALI ZA I I (ONS*	
Total	25	0.9	1.8	\$8, 359 [°]	\$7	Total	949	16. 5		\$10,079	\$166
Neoplasms: Colo-r	rectal					<18	82	5.8	2. 1	\$4,830	\$28
Total	46	0.8	8. 2		\$19	18-44 45-64	144	6. 9	2. 9	\$7, 784	\$54
65+	37	4. 5	8. 5	\$24, 107	\$109	45-64	162	11. 2		\$12, 696	\$143
Neoplasms: Lung						65+	561	68. 6	4. 3	\$10, 679	\$733
Total	18	•								-	
Di abetes						 * Hospitalizations	for cond	itions	where t	imely and	effecti
Total	99	1. 7	4. 4	\$12, 239	\$21	ambulatory care ca	n reduce	the lik	el i hood	of hospi	tal i zati
65+	35	4. 3	5. 0	\$11, 054	\$47					1	